

CHEMICALS	Test	Conditions	Pebax®	Pebax®	Pebax®	Pebax®	Pebax®	Pebax®	Pebax®	Pebax®
	Days	°C	7233	7033	6333	5533	4033	4533	3533	2533
10% sulphuric acid	7	23	A	A	A	A	A	A	A	A
10% caustic soda	7	23	A	A	A	A	A	A	A	A
10% NaCl solution	7	23	A	A	A	A	A	A	A	A
50% zinc chloride	7	23	A	A	A	A	A	A	A	A
Boiling water	7	100	A	A	A	A	A	A	A	A
Caustic pootash (34° Baumé)	7	70	A	A	A	A	A	A	A	A
Lockheed H55	7	121	A	A	A	B	C	C	C	C
Skydrol	7	121	B	B	B	C	C	C	C	C
ASTM N°1 oil	7	100	A	A	A	A	A	A	B	B
	7	121	A	A	A	A	A	A	C	C
ASTM N°3 oil	7	100	A	A	A	A	B	B	C	C
	7	121	A	A	A	A	B	B	C	C
Methanol	7	23	A	A	A	A	A	A	B	C
Ethanol	7	23	A	A	A	A	A	A	B	C
Propanol	7	23	A	A	A	B	B	B	C	C
Butanol	7	23	B	B	B	B	C	C	C	C
Isooctane	7	23	A	A	A	A	A	A	A	A
4-star petrol	7	23	A	A	A	B	B	B	C	C
M15 fuel	7	50	B	B	B	B	C	C	C	C
Kerosene	7	23	A	A	A	A	B	B	B	C
Paraffin	7	23	A	A	A	A	A	A	B	B
Fuel B	7	23	A	A	A	A	B	B	C	C
	7	50	A	A	A	B	B	B	C	C
Fuel C	7	50	A	A	A	B	B	B	C	C
Benzene	7	23	A	A	A	A	B	B	C	C
Xylene	7	23	A	A	A	A	B	B	C	C
Acetone	7	23	A	A	A	A	A	A	A	A
Ethylene-glycol	7	23	A	A	A	A	A	A	A	A
Methyl ethyl ketone	7	23	A	A	A	A	B	B	C	C
Methylene chloride	7	23	C	C	C	C	C	C	C	C
Trichloroethylene	7	23	B	B	B	B	C	C	C	C
Perchloroethylene	7	23	A	A	A	B	B	B	C	C
Freon 11	7	45	B	B	B	B	B	B	C	C
Freon R22	7	45	B	B	B	C	C	C	C	C
Freon R502	7	45	B	B	B	B	C	C	C	C

A: Little or no effect    B: Moderate effect    C: Severe effect